

WEST Search History

DATE: Friday, February 02, 2007

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L92	(gui and java).ti. and @py<=2004	11
<input type="checkbox"/>	L91	(gui and java and module\$1).ti. and @py<=2004	0
<input type="checkbox"/>	L90	(gui and software and module\$1).ti. and @py<=2004	3
<input type="checkbox"/>	L89	(pipeline and software).ti. and @py<=2004	0
<input type="checkbox"/>	L88	(pipeline and software).ab. and @py<=2004	1
<input type="checkbox"/>	L87	(pipeline and software).clm. and @py<=2004	1
<input type="checkbox"/>	L86	L85 and java	0
<input type="checkbox"/>	L85	(graphical and software and module\$1).ti. and @py<=2004	8
<input type="checkbox"/>	L84	6664981 .uref.	2
<input type="checkbox"/>	L83	L80 and (software near5 module\$1)	2
<input type="checkbox"/>	L82	L80 and (configur\$5 near5 file\$1)	0
<input type="checkbox"/>	L81	L80 and java	0
<input type="checkbox"/>	L80	(GUI and module\$1).ti. and @py<=2004	16
<input type="checkbox"/>	L79	(GUI and window\$1 and module\$1).ti. and @py<=2004	2
<input type="checkbox"/>	L78	L77 and (configur\$5 near5 file\$1)	30
<input type="checkbox"/>	L77	L76 and (java near5 reflection\$1)	30
<input type="checkbox"/>	L76	L75 and class and instance and generat\$3	30
<input type="checkbox"/>	L75	L74 and (module\$1 near5 type\$1)	30
<input type="checkbox"/>	L74	L70 and java	30
<input type="checkbox"/>	L73	L70 and (GUI near5 page)	0
<input type="checkbox"/>	L72	L70 and (pipe near5 input)	0
<input type="checkbox"/>	L71	L70 and (pipeline near5 module\$1)	0
<input type="checkbox"/>	L70	L69 and (pipeline near5 process\$3)	32
<input type="checkbox"/>	L69	(software near5 module\$1) and (window near5 GUI) and @py<=2004	700
<input type="checkbox"/>	L68	L67 and (user near5 interfac\$3)	15
<input type="checkbox"/>	L67	L66 and (object near5 orient\$3)	15
<input type="checkbox"/>	L66	L65 and object\$1	18
<input type="checkbox"/>	L65	L64 and gui	18
<input type="checkbox"/>	L64	L63 and pipeline	36
	L63	(software near5 module\$1) and (generat\$3 near5 module\$1) and (modify\$3 near5	606

□	module\$1) and @py<=2004	
□	L62 L61 and (generat\$3 same modify\$3) and module\$1	9
□	L61 (pipeline near5 architecture) and (object near5 orient\$3) and @py<=2004	76
□	L60 L59 and gui	7
□	L59 L58 and (modify\$3 near5 code)	23
□	L58 L57 and (generat\$3 near5 code)	92
□	L57 (software near5 module\$1) and (c++ near5 module\$1) and @py<=2004	253
□	L56 (pipeline near5 architecture) and (c++ near5 module\$1) and @py<=2004	0
□	L55 L51 and pipeline	32
□	L54 L51 and (pipeline near5 component\$1)	0
□	L53 L51 and (pipeline near5 gui)	0
□	L52 L51 and (pipeline near5 window)	0
□	L51 (java near5 reflection) and (software near5 module\$1) and @py<=2004	89
□	L50 (java near5 reflection) same (software near5 module\$1) and @py<=2004	0
□	L49 L48 and (java near5 instance\$1)	16
□	L48 L47 and (java near5 class\$1)	56
□	L47 L46 and (gui near5 object\$1)	56
□	L46 L34 and (gui near5 component\$1)	83
□	L45 L44 and gui	3
□	L44 L43 and (java near5 class\$1)	23
□	L43 java and (pipeline\$1 near5 architecture) and @py<=2004	93
□	L42 L34 and (pipeline\$1 near5 architecture)	0
□	L41 L34 and (pipeline\$1 near5 interfac\$3)	0
□	L40 L39 and (window near5 configur\$4)	1
□	L39 L38 and (java near5 reflection)	6
□	L38 (object near5 orient\$3) and (gui near5 module\$1) and @py<=2004	267
□	L37 L35 and (configuration near5 file\$1)	8
□	L36 L35 and (configuration near5 module\$1)	0
□	L35 L34 and (gui near5 module\$1) and instance\$1	11
□	L34 (software near5 module\$1) and (java near5 class\$1) and @py<=2004	565
□	L33 L31 and (gui near5 module\$1)	1
□	L32 L31 and (gui near5 pipeline)	0
□	L31 (pipeline near5 software) and (software near5 module\$1) and @py<=2004	78
□	L30 L28 and (window near5 programm\$3)	0
□	L29 L28 and (pipe near5 input)	0
□	L28 L27 and (configuration near5 file\$1)	11
□	L27 L26 and display\$3	11

<input type="checkbox"/>	L26	L25 and (java near5 instance)	11
<input type="checkbox"/>	L25	L24 and (java near5 class)	20
<input type="checkbox"/>	L24	L23 and (user near5 defin\$3)	20
<input type="checkbox"/>	L23	(gui near5 java) and (java near5 reflection) and @py<=2004	28
<input type="checkbox"/>	L22	(gui near5 java) and (java near5 reflection) and (java near5 module\$1) and (user near5 defin\$3) and instance and class and @py<=2004	0
<input type="checkbox"/>	L21	L19 and L16	1
<input type="checkbox"/>	L20	L19 and L9	0
<input type="checkbox"/>	L19	5666501.uref.	43
<input type="checkbox"/>	L18	(software and object\$1 and gui).ti. and @py<=2004	6
<input type="checkbox"/>	L17	L16 and (pipe near5 module\$1)	1
<input type="checkbox"/>	L16	L15 and (gui near5 window)	170
<input type="checkbox"/>	L15	(gui same (software near5 module\$1)) and @py<=2004	601
<input type="checkbox"/>	L14	L13 and (java near5 reflection)	30
<input type="checkbox"/>	L13	L12 and ((user near5 defin\$3) same (object\$1 or module\$1))	31
<input type="checkbox"/>	L12	L9 and (pipeline near5 input)	32
<input type="checkbox"/>	L11	L9 and (pipeline near5 architecture\$1)	1
<input type="checkbox"/>	L10	L9 and (pipeline near5 gui)	0
<input type="checkbox"/>	L9	(software near5 module\$1) and (user near5 interfac\$3) and (java near5 object\$1) and @py<=2004	1154
<input type="checkbox"/>	L8	(software nar5 module\$1) and (user near5 interfac\$3) and (java near5 object\$1) and @py<=2004	0
<input type="checkbox"/>	L7	L6 and (gui near5 programm\$3)	1
<input type="checkbox"/>	L6	(pipeline near5 interfac\$3) and (java near5 object\$1) and @py<=2004	25
<input type="checkbox"/>	L5	(pipeline near5 menu) and (java near5 code) and @py<=2004	1
<input type="checkbox"/>	L4	L3 and (user near5 interfac\$3)	4
<input type="checkbox"/>	L3	(pipeline) same (java near5 code) and @py<=2004	14
<input type="checkbox"/>	L2	("5255107 " "5321527 " "5367386 " "4821332 " "5600732 " "5627662 " "5754674 " "5195133 " "5231578 " "5297202 " "5299026 " "5452379 " "5491628 " "5502555 " "5504674 " "5544255 " "5544048 " "5619571 " "5642288 " "5647017 " "5649216 " "5672060 " "5721910 " "5727174 " "5784286 " "5818955 " "5877963 " "5898156 " "5933823 " "6021186 " "6064751 " "6069681 " "6078051 " "6092104 " "6160926 " "6161107 " "6189009 " "6198835 " "6223190 " "6232973 " "6272484 " "6292273 " "6301020 " "6303921 " "6348962 " "6381344 " "6396518 " "6441927 " "6442595 ")!.ABPN1,NRPN,PN,TBAN,WKU.	91
<input type="checkbox"/>	L1	(5255107 5321527 5367386 4821332 5600732 5627662 5754674 5195133 5231578 5297202 5299026 5452379 5491628 5502555 5504674 5544255 5544048 5619571 5642288 5647017 5649216 5672060 5721910 5727174 5784286 5818955 5877963 5898156 5933823 6021186 6064751 6069681 6078051 6092104 6160926 6161107 6189009 6198835 6223190 6223190 6232973 6272484 6292273 6301020 6303921 6348962 6381344 6396518	0

6441927 6442595).pn.

END OF SEARCH HISTORY

WEST Search History

DATE: Friday, February 02, 2007

Hide? Set Name Query

Hit Count

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<input type="checkbox"/>	L28	L27 and (GUI near5 page\$1)	1
<input type="checkbox"/>	L27	L26 and (user near5 defined)	53
<input type="checkbox"/>	L26	L25 and menu	55
<input type="checkbox"/>	L25	L24 and (GUI near5 window\$1)	56
<input type="checkbox"/>	L24	L23 and class\$2 and instance\$1	197
<input type="checkbox"/>	L23	L22 and (translat\$3 near5 file\$1)	229
<input type="checkbox"/>	L22	L21 and (software near5 module\$1)	2891
<input type="checkbox"/>	L21	l3 and GUI	12927
<input type="checkbox"/>	L20	((java near5 reflection) same GUI) and @py<=2004	6
<input type="checkbox"/>	L19	L18 and module\$1	2
<input type="checkbox"/>	L18	L16 and software	10
<input type="checkbox"/>	L17	L16 and (software near5 module\$1)	0
<input type="checkbox"/>	L16	(GUI and pipeline\$1).ti,ab. and @py<=2004	21
<input type="checkbox"/>	L15	L13 and (input\$3 near5 window\$1)	4
<input type="checkbox"/>	L14	L13 and (abstract near5 datatype\$1)	0
<input type="checkbox"/>	L13	L12 and display\$3	64
<input type="checkbox"/>	L12	L10 and @py<=2004	65
<input type="checkbox"/>	L11	L10 and (display\$3 near5 class\$1) and @py<=2004	0
<input type="checkbox"/>	L10	L9 and (module\$1 near5 type\$1)	100
<input type="checkbox"/>	L9	L8 and (data near5 configur\$4)	227
<input type="checkbox"/>	L8	L7 and translat\$3	530
<input type="checkbox"/>	L7	L6 and (graphical user interface)	816
<input type="checkbox"/>	L6	L5 and sql	816
<input type="checkbox"/>	L5	L4 and gui	2891
<input type="checkbox"/>	L4	L3 and (software near5 module\$1)	12138
<input type="checkbox"/>	L3	java reflection	543078
<input type="checkbox"/>	L2	L1 and java and software	1
<input type="checkbox"/>	L1	(pipeline near5 software) and (pipeline near5 module\$1) and @py<=2004	48

END OF SEARCH HISTORY

WebResults 1 - 10 of about 75,700 for 2003 **Java reflection GUI pipeline modules**. (0.33 seconds)**[freshmeat.net: Category Reviews - GUI Toolkits for The X Window System](#)**

Re: What about **Java**? by c0nst - Aug 12th 2003 12:00:23. The **GUI** API in ... For example, **Java** has had the most advanced, feature-rich graphics **pipeline** on ...
[freshmeat.net/articles/view/928/](#) - 247k - [Cached](#) - [Similar pages](#)

[freshmeat.net: Category Reviews - GUI Toolkits for The X Window System](#)

by c0nst - Aug 12th 2003 12:00:23. The **GUI** API in **Java** is surely modular ... For example, **Java** has had the most advanced, feature-rich graphics **pipeline** on ...
[freshmeat.net/articles/view/928](#) - 247k - [Cached](#) - [Similar pages](#)

[Python and Jelly: Scripting Power for Java and XML](#)

Create a skeleton class to allow usage of a Python class in a **Java GUI** (as a ... XML **pipeline** architecture (Jelly reads or outputs SAX events; thus, ...
[luxor-xul.sourceforge.net/talk/jug-feb-2003/slides.html](#) - 65k - [Cached](#) - [Similar pages](#)

[The Apache Newsletter : Issue #2 -- Aug-Sep 2003](#)

(If the schema was obtained via **Java reflection**, the original **Java** bean class. ... When Axis C++ goes beta, it will offer native mod_axis HTTPD **module** to ...
[www.mail-archive.com/announce@apache.org/msg00093.html](#) - 51k - [Cached](#) - [Similar pages](#)

[Method and apparatus for customizing Java API implementations ...](#)

Within the **Java** multimedia framework **module** 406 are implementations of the three main stages of the media processing **pipeline**: the parser 416, ...
[www.freepatentsonline.com/6980979.html](#) - 64k - [Cached](#) - [Similar pages](#)

[\[PDF\] Java engagement for teacher training: an experience report ...](#)

File Format: PDF/Adobe Acrobat
shrinking **pipeline** of women in the IT field. With this in mind, ... consists of 11 **Java** files (excluding jar files for the **GUI** ...
[ieeexplore.ieee.org/iel5/9652/30543/01408496.pdf](#) - [Similar pages](#)

[Mailing list archives](#)

ApacheCon US 2003 16-19 November 2003 Alexis Park Resort Las Vegas, ... (If the schema was obtained via **Java reflection**, the original **Java** bean class. ...
[mail-archives.apache.org/mod_mbox/www-announce/200310.mbox/%3C20031019003620.AA0B.TETSUYA@apache.org%3E](#) - 43k - [Cached](#) - [Similar pages](#)

[\[PDF\] Java Engagement for Teacher Training: An Experience Report](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
to address the problem of the ever-shrinking **pipeline** of. women in the IT field. ... consists of 11 **Java** files (excluding jar files for the **GUI** ...
[fie.engrng.pitt.edu/fie2004/papers/1364.pdf](#) - [Similar pages](#)

[FindBugs - A Bug Pattern Detector for Java - Releases 0.6.1](#)

An "Annotations" window in the **GUI** allows the user to add textual ... you that my comments were just a **reflection** of my experience with different tools. ...
[www.theserverside.com/news/thread.tss?thread_id=20500](#) - 95k - [Cached](#) - [Similar pages](#)

[\[PDF\] Viewing Polynomial Texture Maps Using Java](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

This prevented a more elegant **pipeline** implementation, with a ... import java.io.*;. import javax.swing.*;. import jview.gui.PTMCanvas;. import jview.io. ... materialobjects.com/ptm/overview.pdf - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

2003 Java reflection GUI pipeline m	Search
-------------------------------------	--------

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2003 Java reflection GUI pipeline modules

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**Results 21 - 30 of about 75,700 for 2003 Java reflection GUI pipeline modules. (0.09 seconds)**Gamasutra - Book Excerpt - "Killer Game Programming in Java ...**

It's a low-level API based around a graphics **pipeline** for pixel and vertex ... The Canvas3D node is a **Java GUI** component that allows the 2D image to be ...

www.gamasutra.com/features/20051216/davison_pfv.htm - 76k - [Cached](#) - [Similar pages](#)

[PDF] Java Printing

File Format: PDF/Adobe Acrobat - [View as HTML](#)

page/site and the breadcrumbs are a **reflection** of the graphical aggregation of the pages.

... Figure 2a: **Pipeline** Provenance **Module** of CIB 2.0 ...

www.ischool.berkeley.edu/~chitra/CIBFinalPaper.pdf - [Similar pages](#)

Neohapsis Archives - Freshmeat News - [fm-news] Newsletter for ...

pipeline stages in a dynamically reconfigurable fashion. It has a **GUI** and a Web-based console for document processing and monitoring, and comes with ...

archives.neohapsis.com/archives/apps/freshmeat/2003-01/0028.html - 110k -

[Cached](#) - [Similar pages](#)

[PDF] Parallel Visualization using the Domain-Specific Interpreter Pattern

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Modular visualisation environments (MVEs) present end-users with a **GUI** rep- ... is loaded, and the IsoSurface **module** added to the visualisation **pipeline**. ...

www.doc.ic.ac.uk/~phjk/Publications/MayaViDSI-LCPC-WorkshopPreprint.pdf -

[Similar pages](#)

[PDF] Enhancing Scientific Workflows with Secure Shell Functionality in ...

File Format: PDF/Adobe Acrobat

anism uses the **Java reflection** technology to allow easy deployment of new plug-ins during ... allows scientists to edit source with XEmacs or to use **GUI**- ...

ieeexplore.ieee.org/iel5/10501/33262/01572218.pdf?arnumber=1572218 - [Similar pages](#)

Miguel de Icaza

For example, you could add your own authentication system by listing a dynamic **module** in the web.config file, and then hooking up to the processing **pipeline** ...

tirania.org/blog/all.html - [Similar pages](#)

[PDF] UKeS-2003-01: e-Science Gap Analysis Appendix

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Explorer, in which the construction of the **pipeline** is carried out at the ... By using **Java reflection**, the filter chains are dynamically constructed ...

www.nesc.ac.uk/technical_papers/UKeS-2003-01/Appendix30June03.pdf - [Similar pages](#)

JavaOne 2003 Notes

Java Server Faces is JSP **GUI** toolkit to allow VB type **GUI** development. ... Solution: Use **reflection**; access is slower but done rarely; ComponentAccessor: a ...

www.unidata.ucar.edu/staff/caron/java/JavaOne2003.html - 86k - [Cached](#) - [Similar pages](#)

Richard K. Wood MCSD Solution Developer

Create **java** script devices for data validation and page richness. ... Vbscript used in the **pipeline** control file to customize the functionality of various ...

24.153.133.242/ - 76k - [Cached](#) - [Similar pages](#)

[PDF](#) **Computing Degree Scheme Level I (2) Module Descriptors**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Publisher: Prentice Hall PTR ISBN: 0-13-038488-7 **2003**. Accessing. Resources. Standard network laboratory facilities. **Java** language. Registration Conditions ...

www.fcet.staffs.ac.uk/current_students/award_handbooks/L2moddir.pdf - [Similar pages](#)

Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2003 GUI pipeline modules

Search

[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about **251,000** for **2003 GUI pipeline modules**. (0.05 seconds)**Title Index**

Bericht zum Stand von E-Government in der Schweiz **2003** — Teil Gemeinden · 2. ... **GUI**
Bloopers: Don'ts and Do's for Software Developers and Web Designers ...
dret.net/biblio/titles - 974k - [Cached](#) - [Similar pages](#)

ADASS 2003 Conference Proceedings

Davis, L. E., Glendenning, B. E., & Tody, D. **2003**, in ASP Conf. ... The **pipeline** control
module and **GUI** provide mechanisms whereby the **pipeline** operator may ...
www.adass.org/adass/proceedings/adass03/P1-25/ - 12k - [Cached](#) - [Similar pages](#)

ADASS 2003 Conference Proceedings

Both the acquisition software and the data reduction were **GUI** oriented, ... A first "linear"
pipeline (based mostly on Tcl **modules** plus a global wrapper) ...
www.adass.org/adass/proceedings/adass03/O5-2/ - 29k - [Cached](#) - [Similar pages](#)

New Horizons in Genomics, March 30-April 1, 2003

This **pipeline module** includes use of RepeatMasker and Blast (running on a Linux ... the
team has developed an advanced graphical user interface (**GUI**). ...
www.ornl.gov/sci/techresources/Human_Genome/publicat/2003jgi/Bioinformatics.shtml -
38k - [Cached](#) - [Similar pages](#)

News

27, **2003** -- Fixed a nasty bug in Common.py that triggered segfaults under Mac OS X.
Added a ... Highly improved **modules**, a new segmented **pipeline** browser. ...
mayavi.sourceforge.net/news.html - 13k - [Cached](#) - [Similar pages](#)

Python VTK Pipeline Browser

It provides a **GUI** using Tkinter using which the VTK **pipeline** can be viewed. ... You will
have to check out the mayavi **module**. The vtkPipeline directory ...
mayavi.sourceforge.net/vtkPipeline/index.html - 9k - [Cached](#) - [Similar pages](#)

[PDF] Pipeline approach used for recognition of dynamic meshes

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Pipeline data processing is a very efficient and ... Project supported by Microsoft Research
2003-178 ... incoming data, advanced **module GUI** creation, ...
herakles.zcu.cz/~lvasa/papers/frank_vasa_skala_3ia.pdf - [Similar pages](#)

[PDF] N S - 2003

File Format: PDF/Adobe Acrobat - [View as HTML](#)

2003. Since 1991. Release. Release. **Module**. **Module**. Nearfield. Nearfield. **Module** ... The
GUI allows the user to sketch. a platform – **pipeline** layout, enter ...
www.wellflow.no/News/Newsletters/163/Newsletter2003_small.pdf - [Similar pages](#)

[PDF] Microsoft Project - BBdev_2003Q1_V21_amo.mpp

File Format: PDF/Adobe Acrobat - [View as HTML](#)

L2 Monthly Meetings in **2003**. 309. L2 Monthly meeting in **2003**. 323. Hardware support ...
2D **GUI** (Noveltis) ... Incorporate **modules** in Jun 02 **Pipeline** & Tests ...
www.planck.fr/IMG/pdf/BBdev_2003Q1_V21-3.pdf - [Similar pages](#)

[PDF] The Pentek Pipeline: Falls 2003 Issue

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Fall **2003** • Vol. 12, No. 3. Pentek, Inc. One Park Way, Upper Saddle River, NJ 07458. Tel: (201) 818-5900 • Fax: (201) 818-5904. email: pipeline@pentek.com ...
www.pentek.com/deliver/GetPipe.cfm/PIPE123.PDF?Filename=PIPE123.PDF -
[Similar pages](#)

News archive results for 2003 GUI pipeline modules



2003 » [Alias\Wavefront's Maya 5 Unlimited. \(Review\).](#) - Subscription - Post

2003 » [Moors & Cabot Capital Markets](#) - \$40.00 - MOORS AND CABOT

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

Web Results 11 - 20 of about 1,010,000 for **2003 graphical user interface data pipeline** . (0.09 seconds)

[PDF] [Mobylye : a Web portal framework for bioinformatics analyses](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The form area displays a **pipeline** ready for use, which includes 3 steps: ... Carver,T.J. and Mullan,L.J. (2002) A new **graphical user interface** to EMBOSS. ...

www.pasteur.fr/~letondal/Mobylye/neron_nettab.pdf - [Similar pages](#)

[ADASS 2003 Conference Proceedings](#)

2003). The **Pipeline** Processing System (PPS) used for 1XMM provides for all ... The **graphical user interface** has been designed to edit very complex queries. ...

www.adass.org/adass/proceedings/adass03/D1/ - 15k - [Cached](#) - [Similar pages](#)

[ADASS 2003 Conference Proceedings](#)

Moreover, a web-based Grid **User Interface** (UI) could be necessary/desirable to make the simulated **data** retrieval and the simulated **pipeline** job submission ...

www.adass.org/adass/proceedings/adass03/P8-2/ - 15k - [Cached](#) - [Similar pages](#)

[PDF] [A Hybrid User Interface for Manipulation of Volumetric Medical Data](#)

File Format: PDF/Adobe Acrobat

surgical planning. blue: standard **pipeline**. red: integration of seg-. mentation refinement. ... framework for **graphical user interface**. programming. ...

ieeexplore.ieee.org/iel5/10952/34551/01647503.pdf?

isnumber=34551&prod=CNF&arnumber=1647503&ar... - [Similar pages](#)

[PDF] [Software Review June REPRINT](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

efit is the use of "**pipeline**. architecture" to handle. **data**. ... But the **graphical user interface** allows ... this problem with a **graphical** workspace ...

s-plus.com/investors/Futures_I-Miner2_Review_Jun03.pdf - [Similar pages](#)

[New Horizons in Genomics, March 30-April 1, 2003](#)

A Scalable Visual **Data** Analysis **Pipeline** Framework Supporting Large-Scale ... the team has developed an advanced **graphical user interface** (GUI). ...

www.ornl.gov/sci/techresources/Human_Genome/publicat/2003jgi/Bioinformatics.shtml -

38k - [Cached](#) - [Similar pages](#)

[PDF] [A Graphical User Interface for Configuring a Virtual Computer](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

graphical user interface used to configure a simulated computer system. ... how devices are connected on buses in a computer or the contents of a **pipeline**. ...

www.nada.kth.se/utbildning/grukth/exjobb/

rapportlister/2003/rapporter03/edvardsson_hampus_03050.pdf - [Similar pages](#)

[PDF] [LSC Six-Month Progress Report](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Sutton (Postdoc) will complete the **graphical user interface** to the Rayleigh monitor, ... supervised by Finn, will develop a **data pipeline** that analyses LIGO ...

www.ligo.caltech.edu/docs/M/M020458-00/M020458-00.pdf - [Similar pages](#)

[High-level graphical user interface management in the FACE ...](#)

2 Ben Shneiderman, Designing the **user interface**: strategies for effective ... Constrained

Conditional Resource Sharing in **Pipeline** Synthesis. ...
portal.acm.org/citation.cfm?id=74474&
dl=ACM&coll=portal&CFID=11111111&CFTOKEN=2222222 - [Similar pages](#)

[PDF] **COMPUTER SCIENCE USAO offers an outstanding bachelor's degree ...**
File Format: PDF/Adobe Acrobat - [View as HTML](#)
CSCI 3143 **Data** Structure. 3. CSCI 3443 **Graphical User Interface/OOP** ... Topics include
drawing in 2-D primitives, the 2-D graphic **pipeline**, human- ...
www.usao.edu/catalog2004-06/computer-science.pdf - [Similar pages](#)

Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about **1,010,000** for **2003 graphical user interface data pipeline** . (0.29 seconds)**Title Index**Bericht zum Stand von E-Government in der Schweiz **2003** — Teil Gemeinden · 2. ... ISDN**User-Network Interface** — **Data** Link Layer Specification ...dret.net/biblio/titles - 974k - [Cached](#) - [Similar pages](#)**[DOC] GRAPHICAL USER INTERFACE**File Format: Microsoft Word - [View as HTML](#)**GRAPHICAL USER INTERFACE**. FOR A. VIRTUAL PIPELINE SIMULATION TESTBED.By: Revathi Manni Ranganathan. B.E., University of Madras, India, **2003** ...www.cis.ksu.edu/~revathi/My%20Report.doc - [Similar pages](#)**[PDF] Integration of Graphical User Interface and Data Visualization ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)**1.2 Graphical User Interface**. An experiment manager for **data** acquisition and ... The Dataflow Visualization **Pipeline** as. a Problem Solving Environment, ...

scholar.lib.vt.edu/theses/available/etd-04022004-182031/unrestricted/ThesisMain.pdf -

[Similar pages](#)**[PDF] Personal interfaces-to-go: mobile devices for data exchange and ...**

File Format: PDF/Adobe Acrobat

Graphical user interface for application **data**. visualization and manipulation. ... **graphical** applications without modifying their. visualization **pipeline**. ...ieeexplore.ieee.org/iel5/8560/27094/01203569.pdf - [Similar pages](#)**Keith Price Bibliography Multimedia, Augmented Reality, Virtual ...**Modeling the world: the virtualization **pipeline**, CIAP03(166-174). ... **User Interface**

Technologies for a Virtual Communication Space, ...

www.visionbib.com/bibliography/applicat829.html - 85k - [Cached](#) - [Similar pages](#)**[PDF] ALMA Software User Test Plan**File Format: PDF/Adobe Acrobat - [View as HTML](#)ALMA users to draft a **user interface** for proposal preparation. ... Compare **pipeline data** reduction with offline **data** reduction for a simple **data** ...www.nrao.edu/~dshepher/alma/ALMA.sftw.tstplan.19jun03.pdf - [Similar pages](#)**GRAPHICAL USER INTERFACE - Storming Media**Pentagon reports and documents about **GRAPHICAL USER INTERFACE**. ... for ComputerGenerated Forces Using the Programmable Graphics **Pipeline** Date: SEP 2004 ...

www.stormingmedia.us/keywords/GRAPHICAL_USER_INTERFACE-2.html - 23k -

[Cached](#) - [Similar pages](#)**[PDF] GANGA: a user-Grid interface for Atlas and LHCb**File Format: PDF/Adobe Acrobat - [View as HTML](#)Computing in High Energy and Nuclear Physics, 24-28 March **2003**, La Jolla, ... The **user** issues commands either via the **graphical user interface** (GUI) or via ...www.gridpp.ac.uk/papers/chep03_TUCT002.PDF - [Similar pages](#)**SwRI Fall 2003 Technology Today Article**An intuitive **graphical user interface** guides the **user** through a series of screens in ... **pipeline**, railroad tank car, ship structure and nuclear industries. ...

www.swri.edu/3pubs/ttoday/fall03/NASGRO.htm - 21k - [Cached](#) - [Similar pages](#)

Resume

Scientific Visualization: simulation of a dynamics system, with **graphical user interface** and **data** visualization, implemented as a Java applet. ...

www.cs.indiana.edu/hyplan/yingfeng/resume.html - 20k - [Cached](#) - [Similar pages](#)

News archive results for 2003 graphical user interface data pipeline



- 2003 » [Company grows pipe line and storage empire with ...](#) - Subscription - Pipeline & Gas Journal
- 2003 » [AXYS Design Eliminates Barriers to System-Level Design ...](#) - \$9.95 - Business Wire
- 2003 » [Fund/SPEED: An Open Pathway to Reach Sales Partners.](#) - \$9.95 - Money Management Executive

Google Groups results for 2003 graphical user interface data pipeline



- [VERA - Verzeichnis EDV-Relevanter Akronyme \[4/9\]](#) - z-netz.alt.listen - Sep 15, 2003
- [Let's set the record straight \(www.rezamusic.com\)](#) - rec.music.classical.guitar - Aug 7, 2001
- [FWT Newsletter - Weekly](#) - May 2, 2005 - alt.comp.freeware - May 2, 2005

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

2003 graphical user interface data	Search
------------------------------------	--------

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2003 GUI java reflection

Search

[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about 467,000 for 2003 **GUI java reflection**. (0.12 seconds)**freshmeat.net: Category Reviews - GUI Toolkits for The X Window System**by c0nst - Aug 12th 2003 12:00:23. The **GUI API in Java** is surely modular and ...**reflection**, garbage collection, > weak/soft references, huge library of ...freshmeat.net/articles/view/928/ - 247k - [Cached](#) - [Similar pages](#)**nsftools - Java Tips**Using **Java Reflection** to Get Class Information February 24, 2003 ... This could happenjust as easily with a **GUI** program if someone kills it at the ...www.nsftools.com/tips/**Java**Tips.htm - 24k - [Cached](#) - [Similar pages](#)**Chris Adamson's Blog: Defrosting Java GUI's**Defrosting **Java GUI's**. Posted by invalidname on October 30, 2003 at ... **Java** andObjective-C are similar in that they are dynamic and support **reflection**. ...

weblogs.java.net/blog/invalidname/archive/2003/10/defrosting_java.html - 28k -

[Cached](#) - [Similar pages](#)**Exploring Solution Spaces**That kind of duplication seems to be common in **Java GUI** programming, but it is really ... in the JFrame subclass, we need to use the **Java reflection API**. ...homepage.mac.com/keithray/blog/2003/05/28/ - 11k - [Cached](#) - [Similar pages](#)**Core Java Technologies Tech Tips**January 10, 2003: Using Charsets and Encodings and Using **Reflection** To ... andVariables and Using Progress Bars and Monitors in **Java GUI** Applications ...java.sun.com/developer/JDCTechTips/ - 45k - [Cached](#) - [Similar pages](#)**Generating Custom Taglets and Compiling Source Directly From a Program**Welcome to the Core **Java** Technologies Tech Tips, July 22, 2003. ... in a file whose name is taken from the class name entered in the JTextField of the **GUI**. ...java.sun.com/developer/JDCTechTips/2003/tt0722.html - 36k - [Cached](#) - [Similar pages](#)**What's your time zone? - Java World**Date = Mon May 05 21:04:32 GMT+00:00 2003 Calendar = java.util. ... which is available in the src.jar file included in J2SE; Use **Java's reflection** mechanism ...www.javaworld.com/javaworld/jw-10-2003/jw-1003-time.html - 60k - [Cached](#) - [Similar pages](#)**2003 Speaker Schedule**JavaMUG 2003 Schedule. January 8. JDO. presented by ... ReportMill incorporates elements of **Java Swing GUI** design/implementation with both ReportMill's ...www.javamug.org/mainpages/2003Meetings.html - 31k - [Cached](#) - [Similar pages](#)**The Code Project - Free Source Code and Tutorials**A Complete **java** (AWT) Chat Application with great Customizable **GUI** Interface. ... **Java's Reflection** enables programs to automatically flesh out simple ...www.codeproject.com/java/ - 66k - Feb 1, 2007 - [Cached](#) - [Similar pages](#)**TWiki . Javapedia . TestingGUIApplications**Most **GUI** test tools discover **GUI** components through some kind of hook or **Java reflection**. However this requires modifying the **Java** instance, and embedding ...wiki.java.net/bin/view/Javapedia/TestingGUIApplications - 25k - [Cached](#) - [Similar pages](#)

News archive results for 2003 GUI java reflection



2003 » [Multiple inheritance in Java: of diamonds and dynamic ...](#) - \$9.95 - Java Developer's Journal

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about 237,000 for **2003 GUI pipeline software modules**. (0.13 seconds)**Title Index**

Bericht zum Stand von E-Government in der Schweiz **2003** — Teil Gemeinden · 2. ... **GUI**
Bloopers: Don'ts and Do's for **Software** Developers and Web Designers ...
dret.net/biblio/titles - 974k - [Cached](#) - [Similar pages](#)

ADASS 2003 Conference Proceedings

2.0.0.1 The **pipeline software** infrastructure must support: ... The **pipeline control module**
and **GUI** provide mechanisms whereby the **pipeline** operator may ...
www.adass.org/adass/proceedings/adass03/P1-25/ - 12k - [Cached](#) - [Similar pages](#)

ADASS 2003 Conference Proceedings

Both the acquisition **software** and the data reduction were **GUI** oriented, ... A first "linear"
pipeline (based mostly on Tcl **modules** plus a global wrapper) ...
www.adass.org/adass/proceedings/adass03/O5-2/ - 29k - [Cached](#) - [Similar pages](#)

[PDF] The TERAPIX pipeline

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The current list of **pipeline software modules** and their development status is ... All the
pre-reduction tasks can be configured and scheduled from its **GUI**: ...
terapix.iap.fr/IMG/pdf/terapix_adassxi.pdf - [Similar pages](#)

IMACS Software Overview

The "Instrument Motion Control"-**GUI** and the "Science Array Control"-**GUI** store their status
in a common database. The database allows each **module** to retrieve ...
www.ociw.edu/~birk/IMACS/overview.html - 5k - [Cached](#) - [Similar pages](#)

Python Software Foundation: Press Release 29-Jul-2003

FREDERICKSBURG, Va., July 29, **2003** -- The Python **Software** Foundation (PSF)
announces the release of ... "Python plays a key role in our production **pipeline**. ...
www.python.org/psf/press-release/pr20030729/ - 14k - [Cached](#) - [Similar pages](#)

Teja NPlingo This edition of NPlingo contains up-to-date news and ...

Teja **2003** Internet Educational Series. Presenters from Teja, S3, and Intel ... with
"microblock" **software modules** from Intel and 3rd party developers. ...
www.teja.com/newsevents/newsletter_200305.html - 17k - [Cached](#) - [Similar pages](#)

[PDF] N S - 2003

File Format: PDF/Adobe Acrobat - [View as HTML](#)

2003. Since 1991. Release. Release. **Module**. **Module**. Nearfield. Nearfield. **Module** ... The
GUI allows the user to sketch a platform – **pipeline** layout, enter ...
www.wellflow.no/News/Newsletters/163/Newsletter2003_small.pdf - [Similar pages](#)

[PDF] A case study in optimization - Software Maintenance, 2003. ICSM ...

File Format: PDF/Adobe Acrobat

profiles for specific **software modules** can be generated on an as needed basis. ... cost of
updating the **GUI** can be listed as an isolated item, ...
ieeexplore.ieee.org/iel5/8742/27696/01235424.pdf - [Similar pages](#)

Users Guide: Introduction

The entire ISET **software** package uses a Graphical User Interface (**GUI**) through which ...

Future **software modules** for ISET will be dedicated to expanding the ...
www.imageval.com/public/Products/ISET/UsersGuide/UsersGuide_Introduction.htm - 6k -
[Cached](#) - [Similar pages](#)

News archive results for 2003 GUI pipeline software modules



2003 » [Alias\Wavefront's Maya 5 Unlimited. \(Review\).](#) - Subscription - Post
2003 » [Moors & Cabot Capital Markets](#) - \$40.00 - MOORS AND CABOT

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google